

No. Fail: JBPM/IP/RNP: 700-7/2/7-257 (24)  
(PEMBAHARUAN KEDUA PULUH EMPAT)

# SIJIL PEPASANGAN KESELAMATAN KEBAKARAN

APPROVAL CERTIFICATE

**Jabatan Bomba dan Penyelamat Malaysia**  
dengan ini memperakukan  
Fire and Rescue Department of Malaysia  
hereby certify

**CLASS 'O'**  
**(FIBRE-CEMENT FLAT SHEET)**  
TRADE MARK / BRAND : PRIMAflex, PRIMAliner, PRIMAraya,  
PRIMAplank (Smooth) & PRIMAplank (Woodgrain)

**Berdasarkan Piawaian**  
Complying with

**BS 476 : PART 6 : 1989 & BS 476 : PART 7 : 1997**

**Syarikat Berdaftar**  
Registered company

**HUME CEMBOARD INDUSTRIES SDN BHD**  
(579898-W)  
**Lot 127220, Kawasan Perusahaan Kanthan,**  
**31200 Chemor,**  
**Perak Darul Ridzuan.**

Tempoh sah perakuan: **11/01/2022 hingga 10/01/2024**



**(PKPjB KAMARULZAMAN MALIK ABDULLAH)**  
Pengarah  
Bahagian Perancangan dan Penyelidikan,  
b.p. Ketua Pengarah  
Jabatan Bomba dan Penyelamat Malaysia.

Tarikh: 11 Januari 2022





---

Jenis Bahan Binaan	: <b>CLASS 'O'</b> <b>(FIBRE-CEMENT FLAT SHEET)</b>
Jenama & Spesifikasi	: <b>CELLULOSE FIBRE CEMENT SHEET</b> i. 'PRIMAliner'- Thickness : 4.5 mm – 12.0 mm ii. 'PRIMAflex'- Thickness : 3.2 mm – 32.0 mm iii. 'PRIMARAYA' - Thickness : 3.2 mm iv. 'PRIMAPLANK' (woodgrain) -Thickness : 7.5 mm v. 'PRIMAPLANK'( smooth ) - Thickness : 7.5 mm – 25.0 mm
Tahap Rintangan Api	: <b>CLASS 'O'</b>
Nama & Alamat Pengeluar	: <b>HUME CEMBOARD INDUSTRIES SDN BHD</b>
No. Laporan ujian/Tarikh	: <b>PRIMAflex</b> <b>SIRIM 2013FE0102, SIRIM 2013FE0101, SIRIM 2012FE0155,</b> <b>SIRIM 2012FE0156, SIRIM 2012FE0147, SIRIM 2012FE0148,</b> <b>SIRIM 2013FE0104, SIRIM 2013FE0103, SIRIM 2013FE0464,</b> <b>SIRIM 2013FE0465, SIRIM 2017FE0087, SIRIM 2017FE0088,</b> <b>SIRIM 2017FE0011, SIRIM 2017FE0012, SIRIM 2017FE0091,</b> <b>SIRIM 2017FE0092, SIRIM 2017FE0015, SIRIM 2017FE0016.</b> <b>PRIMAliner</b> <b>SIRIM 2012FE0154, SIRIM 2012FE0153, SIRIM 2012FE0149,</b> <b>SIRIM 2012FE0150, SIRIM 2017FE0013, SIRIM 2017FE0014,</b> <b>SIRIM 2017FE0093, SIRIM 2017FE0094.</b> <b>PRIMAraya</b> <b>SIRIM 2012FE0152, SIRIM 2012FE0151, SIRIM 2017FE0083,</b> <b>SIRIM 2017FE0084.</b> <b>PRIMApLank (Smooth)</b> <b>SIRIM 2013FE0100, SIRIM 2013FE0099, SIRIM 2013FE0098,</b> <b>SIRIM 2013FE0097, SIRIM 2013FE0468, SIRIM 2013FE0469.</b> <b>PRIMApLank (Woodgrain)</b> <b>SIRIM 2013FE0106, SIRIM 2013FE0105.</b>
Skim Persijilan Barangan	: <b>SIRIM QAS INT. NO. LH000601 NO. SIRI 069944</b> <b>(SAH SEHINGGA 10/01/2023)</b>
Had Kegunaan	: <b>PEMASANGAN SEBAGAI BAHAN KELAS 'O'. HENDAKLAH</b> <b>MEMATUHI SPESIFIKASI UJIAN, UBBL 1984 SERTA</b> <b>SYARAT-SYARAT TAMBAHAN SEPerti DI LAMPIRAN A2</b> <b>&amp; A3.</b>

---

Tempoh sah perakuan: **11/01/2022 hingga 10/01/2024**

