

PRIMATM
ACCESSORIES

For PRIMA System
Installation

The construction industry is ever-changing and has its own set of challenges, requirements and demands. Thus, at Saint-Gobain Prima Sdn Bhd, we strive to innovate and create not just individual products for the mass market but also systems that cater to different industries while complying to their specific requirements.

Realizing the needs of clients in solving the puzzles to their construction difficulties, Saint-Gobain Prima now offers owners, developers, contractors and individual builders a wide range of construction solutions.

As such, we have come to understand the strict requirements within the constructions and know how to improve the quality and efficiency of the fibre cement board application.

In this instance, Saint-Gobain Prima is proud to present to you a big range of accessories with reliable quality. According to your needs, we will recommend the most suitable and economical products.

PRIMA Accessories are the important components to finish off PRIMA system installation. A complete, fully compatible range of integral components allows reliable preparation and efficient execution of details. PRIMA Accessories support our installer to install PRIMA boards in a safe, fast and reliable way.

ACCESSORIES

solution for


- Ceiling
- Facade
- Cladding
- Internal wall
- Flooring
- External wall
- Decking

Important Remarks:

- * All dimensions and measurements provided are approximate only and subject to manufacturing tolerances.
- * PRIMA Products and Accessories are to be installed following the current technical manual.
- * Installation Manual of Products is always updated. The designer, construction supervisor, and installer shall verify that all methods being used are following the most updated version of Installation Manual. They can contact Saint-Gobain Prima Technical Team for further details.
- * The products of Saint-Gobain Prima are designed while the operation methods are specified to suit the working condition in Malaysia only. Any application outside Malaysia considered being the direct responsibility of the designer, construction supervisor, and installer.
- * Recommended for ceiling, wall, floor, backer and underlay board only. Do not use as any building's structure or other purposes. The installation shall follow the Installation Manual and use only the standard materials.
- * Breathing dust from silica based products such as fibre cement can be hazardous over an extended period of time. Always use a mask, protective equipment and clothing that complies with the latest regulations of Occupational Safety and Health (OSH) or Workplace Health and Safety.
- * **Some PRIMA Accessories may require longer lead time, or is subjected to MOQ. Please contact our friendly PRIMA sales representatives.**

PRIMA Accessories Storage:


- Stored in their original packaging in an internal space.
- Cover with tarpaulin sheet, canvas or equivalent for external storage.




PRIMA Ceiling Batten 36mm x 16mm
ACC/C/024
Specifications : 3600mm x 36mm x 16mm x 0.42mm BMT
Quantity : 500 pcs/pack
Category : Secondary section
Application : Ceiling



PRIMA L-Bracket 50mm x 50mm x 1.5mm BMT
ACC/U/015
Specifications : 50mm x 50mm x 1.5mm BMT
Quantity : 80 pcs/box
Category : Angle cleat
Application : Universal. To hold steel frame onto structure



PRIMA Fastener Wing-Tek Screw Class 1 (22mm/28mm)
ACC/U/044
Specifications : 22mm/28mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding



PRIMA Board
Specifications : 4.5mm/6mm thick PRIMA flex™ 1220mm x 2440mm (PRIMA liner™)
Application : Ceiling lining board. PRIMA offers range of ceiling lining products to meet the aesthetical outlook requirement



PRIMA Fastener Needle Point no#6 x 19mm
ACC/U/050
Specifications : 19mm (L)
Quantity : 1000 pcs/box
Category : Fasteners
Application : Ceiling




PRIMA M6 x 65mm Stud Anchor
ACC/U/012
Specifications : M6 x 65mm Stud Anchor
Quantity : 100 pcs/box
Category : Anchor / Fastener
Application : Universal for floors / walls

** Please refer to Saint-Gobain Prima Technical Team for actual frame spacing


Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA™ Ceiling System - Standard Duty

*Suitable for Internal ceiling



1 2 PRIMA Ceiling Batten 36mm x 16mm
ACC/C/024
Specifications : 3600mm x 36mm x 16mm x
0.42mm BMT
Quantity : 500 pcs/bundle
Category : Secondary section
Application : Ceiling




3 PRIMA Suspension Rod 4mm
ACC/C/026
Specifications : 4mm diameter
Quantity : 100 pcs/pack
Category : Suspension
Application : Ceiling




4 PRIMA M6 Eye Anchor
ACC/C/029
Specifications : M6 x 60mm
Quantity : 400 pcs/box
Category : Anchor/ Fasteners
Application : Ceiling



5 PRIMA Spring Adjustable Ceiling Clip
ACC/C/027
Specifications : 132mm (L) x 22mm (W)
Quantity : 180 pcs/box
Category : Suspension clip / bracket
Application : Ceiling



6 PRIMA Fastener Wing-Tek Screw Class 1
(22mm/28mm)
ACC/U/044
Specifications : 22mm/28mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding



7 PRIMA Board
Specifications : 4.5mm/6mm thick PRIMAflex™
1220mm x 2440mm (PRIMALiner™)
230mm x 3660mm (PRIMAplank™)
100mm x 3660mm (PRIMAplank™)
Application : Ceiling lining board. PRIMA offers range of ceiling lining products to meet the aesthetical outlook requirement





8 PRIMA Ceiling Batten Cross Joiner
ACC/C/095
Specifications : 40mm x 50mm
Quantity : 500 pcs/box
Category : Joiners
Application : Ceiling

** Please refer to Saint-Gobain Prima Technical Team for actual frame spacing

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA™ Ceiling System - Heavy Duty

*Suitable for Internal and External ceiling
*Can withstand wind pressure up to 1.5kPa



1 ***
PRIMA C-Channel Stud 51mm x 0.75mm BMT
ACC/U/010
Specifications : 51mm x 0.75mm BMT x 3000mm
Quantity : 100 pcs/pack
Category : Primary section
Application : Walls / Floors / Ceilings



2
PRIMA Furring Channel 50mm x 28mm
ACC/U/034
Specifications : 50 mm x 28 mm x 3600mm
Quantity : 200 pcs/pack
Category : Secondary section
Application : Ceiling




3
PRIMA 51mm Stud to Furring Cross Joiner - S51 to FC5028
ACC/C/039
Specifications : 38mm x 76mm x 99mm
Quantity : 120 pcs/box
Category : Joiners
Application : Ceiling




5
PRIMA M6 x 65mm Stud Anchor
ACC/U/012
Specifications : M6 x 65mm Stud Anchor
Quantity : 100 pcs/box
Category : Anchor / Fastener
Application : Universal for floors / walls



6
PRIMA L-Bracket 50mm x 50mm x 1.5mm BMT
ACC/U/015
Specifications : 50mm x 50mm x 1.5mm BMT
Quantity : 80 pcs/box
Category : Angle cleat
Application : Universal. To hold steel frame against structure.





7
PRIMA Fastener Wing-Tek Screw Class 1 (22mm/28mm)
ACC/U/044
Specifications : 22mm/28mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding



8
PRIMA Board
Specification : 6mm/7.5mm/9mm/12mm thick **PRIMAflex™**
1220mm x 2440mm (**PRIMAliner™**)
230mm x 3660mm (**PRIMAplank™**)
100mm x 3660mm (**PRIMAplank™**)
Application : Ceiling lining board. **PRIMA** offers range of ceiling lining products to meet the aesthetical outlook requirement

** Please refer to Saint-Gobain Prima Technical Team for actual frame spacing
*** Available in other sizes and specifications.

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.



1 PRIMA Furring Wall Track 16mm
ACC/C/025
Specifications : 16mm x 16mm


PRIMA Furring Channel Wall Track 28mm
ACC/C/037
Specifications : 30mm x 28mm
Quantity : 120 pcs/pack
Category : Trims
Application : Ceiling



2 PRIMA Furring Channel 38mm x 28mm
x 0.50mm BMT
ACC/U/004
Specifications : 38mm x 28mm x 3600mm
Quantity : 200 pcs/pack
Category : Ceiling
Application : Ceiling secondary section



2 PRIMA Furring Channel 38mm x 16mm
x 0.50mm BMT
ACC/U/005
Specifications : 38mm x 16mm x 3600mm
Quantity : 200 pcs/pack
Category : Ceiling
Application : Ceiling secondary section



3 PRIMA Fastener Wing-Tek Screw Class 1
(22mm/28mm)
ACC/U/044
Specifications : 22mm/28mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding



4 PRIMAplank™ Klassik
Specifications : 7.5mm/9mm/12mm thick
230mm x 3660mm (PrimaplanK)
Application : Fascia /Barge board




5 PRIMAflex™
Specifications : 4.5mm/6mm thick
610mm x 1220mm
1220mm x 1220mm
Application : Eaves Lining



5 PRIMAvent™
Specifications : 3.2mm/4.5mm thick
610mm x 1220mm
1220mm x 1220mm
Application : Eaves Lining


Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA Ceiling – Direct Fixing System



- 1 **PRIMA Hex head 10g**
16mm x 20mm
ACC/C/014

Truss bottom chord




- 2 **PRIMA Direct Fixing Clips 192mm**
ACC/C/031

- 3 **PRIMA Furring Channel 38mm x 28mm x 0.50mm BMT**
PRIMA Furring Channel 38mm x 16mm x 0.50mm BMT
ACC/U/004 or 005

- 1 **PRIMA Hex head 10g**
16mm x 20mm
ACC/C/014

Truss bottom chord



- 4 **PRIMA Direct Fixing Clips 92mm**
ACC/C/032

- 3 **PRIMA Furring Channel 38mm x 28mm x 0.50mm BMT**
PRIMA Furring Channel 38mm x 16mm x 0.50mm BMT
ACC/U/004 or 005



PRIMA Hex-Head 10g 16mm x 20mm
ACC/U/014

Specifications : No #10 x 20mm
Quantity : 1000 pcs/box
Category : Fastener
Application : Universal / To secure **PRIMA** Steel members



PRIMA Furring Channel 38mm x 16mm x 0.50mm BMT
ACC/U/005

Specifications : 38mm x 16mm x 3600mm
Quantity : 200 pcs/pack
Category : Ceiling
Application : Ceiling secondary section



PRIMA Direct Fixing Clips 192mm
ACC/C/031

Specifications : 192mm (L) x 80mm (W)
Quantity : 200 pcs/box
Category : Suspension clip / bracket
Application : Ceiling



PRIMA Direct Fixing Clips 92mm
ACC/C/032

Specifications : 92mm(L) x 65mm (W)
Quantity : 200 pcs/box
Category : Suspension clip / bracket
Application : Ceiling



PRIMA Furring Channel 38mm x 28mm x 0.50mm BMT
ACC/U/004

Specifications : 38mm x 28mm x 3600mm
Quantity : 200 pcs/pack
Category : Ceiling
Application : Ceiling secondary section



PRIMAflex™

Specifications : 1220mm x 1220mm
1220mm x 2440mm
Application : Ceiling lining

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.




PRIMAflex™ Groove

Specifications : 7.5mm thick
1200mm x 2400mm
1200mm x 2700mm

PRIMAplank™ Shiplap (Smooth/Woodgrain)

Specifications : 9 mm x 230mm x 3660mm
Application : Ceiling

PRIMA Cladding System - Direct Fixing



PRIMA Direct Fixing Clip
ACC/W/023
Specifications : Direct fixing clip 36mm x 66mm
Quantity : 50 pcs/box
Category : Joiners
Application : Wall, cladding



PRIMA Furring Channel 38mm x 28mm x 0.50mm BMT
ACC/U/004
Specifications : 38mm x 28mm x 3600mm
Quantity : 200 pcs/pack
Category : Ceiling
Application : Ceiling secondary section




PRIMA M6 x 65mm Stud Anchor
ACC/U/012
Specifications : M6 x 65mm Stud Anchor
Quantity : 100 pcs/box
Category : Anchor / Fastener
Application : Universal for floors / walls




PRIMAplank™ Klassik (Smooth/Woodgrain)
PRIMAplank™ Shiplap (Smooth/Woodgrain)
Specifications : 9 mm x 230mm x 3660mm
Application : Wall Cladding

Remark:
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA Cladding System - Cantilever



1 PRIMA Hex-Head 10g 16mm x 20mm
ACC/U/014
Specifications : No #10 x 20mm
Quantity : 1000 pcs/box
Category : Fastener
Application : Universal / To secure PRIMA Steel members



2 ***
3 PRIMA C-Studs 64mm x 0.50mm BMT
ACC/U/054
Specifications : 64mm C-Studs x 0.50mm BMT
64mm x 35mm x 3000mm
Quantity : 100 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings



4 ***
PRIMA L-Bracket 75mm x 75mm x 1.5mm
BMT
ACC/U/016
Specifications : 75mm x 75mm x 1.5mm BMT
Quantity : 40 pcs/box
Category : Angle cleat
Application : Universal. To hold steel frame against structure




5
PRIMA plank™ Klassik
PRIMA plank™ Shiplap (Smooth/Woodgrain)
Specifications : 9mm x 230mm x 3660mm
PRIMA flex™ Groove
Specifications : 7.5mm thick
1200mm x 2400mm
1200mm x 2700mm
Application : Wall Cladding

*** Available in other sizes and specifications.

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.


PRIMA™ Deck Concealed Fixing System (CFS)




***Available in other sizes and specifications.



PRIMA Flat Head 10g 16mm x 20mm
ACC/U/013
Specifications : No #10 x 20mm
Quantity : 1000 pcs/box
Category : Fastener
Application : To secure angle cleat on steel member




PRIMA Decking CFS (Top Cover)
ACC/D/045
Specifications : Aluminium Powder Coated (Black)
Decking Strip Top-Cover 15mm (Gap)
3000mm (L)
Quantity : 20 pcs/box
Category : Strip Top Cover
Application : Decking



PRIMA Tophat 50mm x 50mm x 0.75mm BMT
ACC/U/022
Specifications : 50mm x 50mm x 0.75mm BMT
Quantity : 120 pcs/pack
Category : Secondary section
Application : Universal / Floor joist, cladding



PRIMA Tophat Bracket
ACC/U/007
Specifications : 80mm x 46mm x 50mm
Quantity : 60 pcs/box
Category : Floor joist / Cladding
Application : Secondary section connector to primary frame



PRIMA Decking CFS (Base Unit)
ACC/D/046
Specifications : Aluminium Powder Coated (Black)
Decking Strip Base-Unit
3000mm (L)
Quantity : 20 pcs/box
Category : Strip Base Unit
Application : Decking



PRIMA Hex-Head 10g 16mm x 20mm
ACC/U/014
Specifications : No #10 x 20mm
Quantity : 1000 pcs/box
Category : Fastener
Application : Universal / To secure PRIMA Steel members




PRIMA M8 X 75mm Stud Anchor
ACC/U/097
Specifications : M8 x 75mm Stud Anchor
Quantity : 100 pcs/box
Category : Anchor / Fastener
Application : Universal for floors / walls



PRIMA Deck Groove
Specifications : 16mm x 150mm x 2440mm
Application : Decking

Remark : The above diagram is a guideline for installation only and shall not be treated as construction drawing. Please refer to the latest PRIMA Technical Manual prior to the installation.



PRIMA Deck Concealed 3mm Fixing Clip
ACC/D/047
Specifications : Conceal 3mm (Gap) Decking Fix Clip
3000mm (L)
Quantity : 200 pcs/box
Category : Fasteners
Application : Decking



PRIMA C-Channel Stud 51mm x 0.75mm BMT
ACC/U/010
Specifications : 51mm x 3000mm x 0.75mm BMT
Quantity : 100 pcs/pack
Category : Primary section
Application : Walls / Floors / Ceilings



PRIMA Flat Head 10g 16mm x 20mm
ACC/U/013
Specifications : No #10 x 20mm
Quantity : 1000 pcs/box
Category : Fastener
Application : To secure angle cleat on steel member



PRIMA L-Bracket 55mm x 50mm x 1.9mm BMT
ACC/U/017
Specifications : 55mm x 50mm x 1.9mm BMT
Quantity : 60 pcs/box
Category : Angle cleat
Application : Universal. To hold steel frame against structure




PRIMA M8 X 75mm Stud Anchor
ACC/U/097
Specifications : M8 x 75mm Stud Anchor
Quantity : 100 pcs/box
Category : Anchor / Fastener
Application : Universal for floors / walls



PRIMA Deck Groove
Specifications : 16mm x 150mm x 2440mm
Application : Decking

*** Available in other sizes and specifications.

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.



PRIMA Deck Concealed 10mm Fixing Clip
ACC/D/048
Specifications : Conceal 10mm (Gap) Decking Fix Clip
3000mm (L)
Quantity : 200 pcs/box
Category : Fasteners
Application : Decking



PRIMA C-Channel Stud 51mm x 0.75mm BMT
ACC/U/010
Specifications : 51mm x 0.75mm BMT x 3000mm
Quantity : 100 pcs/pack
Category : Primary section
Application : Walls / Floors / Ceilings



PRIMA Flat Head 10g 16mm x 20mm
ACC/U/013
Specifications : No #10 x 20mm
Quantity : 1000 pcs/box
Category : Fastener
Application : To secure angle cleat on steel member



PRIMA L-Bracket 55mm x 50mm x 1.9mm BMT
ACC/U/017
Specifications : 55mm x 50mm x 1.9mm BMT
Quantity : 60 pcs/box
Category : Angle cleat
Application : Universal. To hold steel frame onto structure





PRIMA M8 X 75mm Stud Anchor
ACC/U/097
Specifications : M8 x 75mm Stud Anchor
Quantity : 100 pcs/box
Category : Anchor / Fastener
Application : Universal for floors / walls



PRIMA Deck Groove
Specifications : 16mm x 150mm x 2440mm
Application : Decking

*** Available in other sizes and specifications.

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.



PRIMA Fastener Wing-Tek Screw Class 3 (32mm/44mm)
ACC/U/051
Specifications : 32mm/44mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding



PRIMAplank™ Decking
Specifications : 16mm x 150mm x 3660mm
Application : Decking



PRIMA C-Channel Stud 51mm x 0.75mm BMT
ACC/U/010
Specifications : 51mm x 0.75mm BMT x 3000mm
Quantity : 100 pcs/pack
Category : Primary section
Application : Walls / Floors / Ceilings



PRIMA M8 X 75mm Stud Anchor
ACC/U/097
Specifications : M8 x 75mm Stud Anchor
Quantity : 100 pcs/box
Category : Anchor / Fastener
Application : Universal for floors / walls



PRIMA L-Bracket 55mm x 50mm x 1.9mm BMT
ACC/U/017
Specifications : 55mm x 50mm x 1.9mm BMT
Quantity : 60 pcs/box
Category : Angle cleat
Application : Universal. To hold steel frame against structure





PRIMA Flat Head 10g 16mm x 20mm
ACC/U/013
Specifications : No #10 x 20mm
Quantity : 1000 pcs/box
Category : Fastener
Application : To secure angle cleat on steel member

*** Available in other sizes and specifications.

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA solidwall System - 104mm (2 Hour Fire Rated)




PRIMA U-Track 92mm x 0.55mm BMT
ACC/U/072
Specifications : 92mm U-Track x 0.55mm BMT
92mm x 32mm x 3000mm
Quantity : 100 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings




PRIMA C-Studs 92mm x 0.55mm BMT
ACC/U/058
Specifications : 92mm C-Studs x 0.55mm BMT
92mm x 35mm x 3000mm
Quantity : 100pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings



PRIMA liner™
Specifications : 6mm x 1220mm x 2440mm
Application : Wall Lining



PRIMA Fastener Wing-Tek Screw Class 1
(22mm)
ACC/U/044
Specifications : 22mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding





PRIMA Mesh Tape
ACC/U/049
Specifications : 50 meter / roll
Quantity : one piece
Category : Mesh tape
Application : Flush Jointing for wall and ceiling



PRIMA Jointing Compound PLUS+
ACC/U/052
Specifications : Jointing Compound Plus+
Quantity : one bucket , 28KG/bucket
Category : Sealers
Application : Wall/Ceiling

Remark:
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA drywall System - 136mm (2 Hour Fire Rated)



1 PRIMA U-Track 100mm x 0.55mm BMT
ACC/U/073
Specifications : 100mm U-Track x 0.55mm BMT
100mm x 32mm x 3000mm
Quantity : 100 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings




2 PRIMA C-Studs 100mm x 0.55mm BMT
ACC/U/059
Specifications : 100mm C-Studs x 0.55mm BMT
100mm x 35mm x 3000mm
Quantity : 80 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings




3 PRIMA^{liner}
Specifications : 12mm x 1220mm x 2440mm
Application : Wall Lining



4 Mineral Wool
Specifications : 100mm x 80kg/m³ Rockwool
Category : Wool
Application : PRIMA^{drywall}
Note : Not supplied by Hume Cemboard Industries



5 PRIMA Fastener Wing-Tek Screw Class 1
(22mm/32mm)
ACC/U/044
Specifications : 22mm/32mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding



6 PRIMA Mesh Tape
ACC/U/049
Specifications : 50 meter / roll
Quantity : one piece
Category : Mesh tape
Application : Flush Jointing for wall and ceiling





7 PRIMA Jointing Compound PLUS+
ACC/U/052
Specifications : Jointing Compound Plus+
Quantity : one bucket, 28KG/bucket
Category : Sealers
Application : Wall/Ceiling



8 PRIMA^{flex}
Specifications : PRIMAflex 100mm (W) x 6mm (T)
Application : Wall Lining

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA drywall System - 94mm (1 Hour Fire Rated)



1 PRIMA U-Track 76mm x 0.55mm BMT
ACC/U/071
Specifications : 76mm U-Track x 0.55mm BMT
76mm x 32mm x 3000mm
Quantity : 100 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings




2 PRIMA C-Studs 76mm x 0.55mm BMT
ACC/U/057
Specifications : 76mm C-Studs x 0.55mm BMT
(S7655), 76mm x 35mm x 3000mm
Quantity : 100 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings




3 PRIMA liner™
Specifications : 9mm x 1220mm x 2440mm
Application : Wall Lining



4 Mineral Wool
Specifications : 75mm x 60kg/m³ Rockwool
Category : Wool
Application : PRIMA drywall
Note : Not supplied by Hume Cemboard Industries



5 PRIMA Fastener Wing-Tek Screw Class 1
(28mm)
ACC/U/044
Specifications : 28mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding





6 PRIMA Mesh Tape
ACC/U/049
Specifications : 50 meter / roll
Quantity : one piece
Category : Mesh tape
Application : Flush Jointing for wall and ceiling



7 PRIMA Jointing Compound PLUS+
ACC/U/052
Specifications : Jointing Compound Plus+
Quantity : one bucket , 28KG/bucket
Category : Sealers
Application : Wall/Ceiling

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA drywall System - Acoustic




PRIMA U-Track 64mm x 0.55mm BMT
ACC/U/070
Specifications : 64mm U-Track x 0.55mm BMT
64mm x 32mm x 3000mm
Quantity : 100 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings



4
Mineral Wool
Specifications : 50mm x16 kg/m³ Mineral Wool
Category : Wool
Application : **PRIMA drywall**
Note : Not supplied by Hume Cemboard Industries




PRIMA C-Studs 64mm x 0.55mm BMT
ACC/U/056
Specifications : 64mm C-Studs x 0.55mm BMT
64mm x 35mm x 3000mm
Quantity : 100 pcs/bundle
Category : Primary Section
Application : Walls / Floors / Ceilings



5
PRIMA Fastener Wing-Tek Screw Class 1 (22mm/28mm)
ACC/U/044
Specifications : 22mm/28mm
Quantity : 1000 pcs/box
Category : Fasteners
Application : Wall/Cladding



PRIMA liner™
Specifications : 6mm x 1220mm x 2440mm
Application : Wall Lining



6
PRIMA Mesh Tape
ACC/U/049
Specifications : 50 meter / roll
Quantity : one piece
Category : Mesh tape
Application : Flush Jointing for wall and ceiling













* STC value prediction was based on Marshall Day Acoustic Software (Insul 7.0) ; Tested value from SIRIM Bhd.
*** Available in other sizes and specifications.

Remark :
The above diagram is a guideline for installation only and shall not be treated as construction drawing.
Please refer to the latest PRIMA Technical Manual prior to the installation.



















7
PRIMA Jointing Compound PLUS+
ACC/U/052
Specifications : Jointing Compound Plus+
Quantity : one bucket , 28KG/bucket
Category : Sealers
Application : Wall/Ceiling

PRIMA™ accessories - List of Components

	<p>PRIMA M6 Threaded Rod ACC/U/001 Specifications : M6 Threaded Rod Length 3000mm Quantity : 50 pcs/box Category : Ceiling Application : Ceiling hanger / suspension</p>		<p>PRIMA Corner Piece for Klassik ACC/W/009 Specifications : 31mm x 31mm x 2440mm per pc Quantity : 20 pcs/pack Category : Finishing trim for PRIMAplank™ Klassik Application : Walls & Cladding</p>
	<p>PRIMA M6 Push In Anchor ACC/U/002 Specifications : M6 Push In Anchor Quantity : 200 pcs/box Category : Anchor Application : Use as anchor to mount onto slab soffit. Ceiling hanger / suspension will be attach to it</p>		<p>PRIMA C-Channel Stud 51mm x 0.75mm BMT ACC/U/010 Specifications : 51mm x 0.75mm BMT x 3000mm Quantity : 100 pcs/pack Category : Primary section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA M6 Nut ACC/U/003 Specifications : No #6 nut Quantity : 1500 pcs/box Category : Fastener Application : Ceiling rod / hanger fasteners</p>		<p>PRIMA U-Channel Track 51mm x 0.75mm BMT ACC/U/011 Specifications : 51mm x 0.75mm BMT x 3000mm Quantity : 100 pcs/pack Category : Primary section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA Furring Channel 38mm x 28mm x 0.50mm BMT ACC/U/004 Specifications : 38mm x 28mm x 3600mm Quantity : 200 pcs/pack Category : Ceiling Application : Ceiling secondary section</p>		<p>PRIMA M6 x 65mm Stud Anchor ACC/U/012 Specifications : M6 x 65mm Stud Anchor Quantity : 100 pcs/box Category : Anchor / Fastener Application : Universal for floors / walls</p>
	<p>PRIMA Furring Channel 38mm x 16mm x 0.50mm BMT ACC/U/005 Specifications : 38mm x 16mm x 3600mm Quantity : 200 pcs/pack Category : Ceiling Application : Ceiling secondary section</p>		<p>PRIMA Flat Head 10g 16mm x 20mm ACC/U/013 Specifications : No #10 x 20mm Quantity : 1000 pcs/box Category : Fastener Application : To secure angle cleat on steel member</p>
	<p>PRIMA Furring Channel Joiner 38mm ACC/U/006 Specifications : 38mm Quantity : 400 pcs/box Category : Ceiling Application : Ceiling secondary section as connector / joiner</p>		<p>PRIMA Hex-Head 10g 16mm x 20mm ACC/U/014 Specifications : No #10 x 20mm Quantity : 1000 pcs/box Category : Fastener Application : To secure angle cleat to steel member</p>
	<p>PRIMA Tophat Bracket ACC/U/007 Specifications : 80mm x 46mm x 50mm Quantity : 60 pcs/box Category : Floor joist / Cladding Application : Secondary section connector to primary frame</p>		<p>PRIMA L-Bracket 50mm x 50mm x 1.5mm BMT ACC/U/015 Specifications : 50mm x 50mm x 1.5mm BMT Quantity : 80 pcs/box Category : Angle cleat Application : Universal. To hold steel frame onto structure</p>
	<p>PRIMA Corner Piece for Shiplap ACC/W/008 Specifications : 31mm x 2440mm per pc Quantity : 20 pcs/pack Category : Finishing trim for PRIMAplank™ Shiplap Application : Wall & Cladding</p>		<p>PRIMA L-Bracket 75mm x 75mm x 1.5mm BMT ACC/U/016 Specifications : 75mm x 75mm x 1.5mm BMT Quantity : 40 pcs/box Category : Angle cleat Application : Universal. To hold steel frame onto structure</p>

















Remark :
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA™ accessories - List of Components

	<p>PRIMA L-Bracket 55mm x 50mm x 1.9mm BMT ACC/U/017 Specifications : 55mm x 50mm x 1.9mm Quantity : 60 pcs/box Category : Angle cleat Application : Universal. To hold steel frame on structure</p>		<p>PRIMA Furring Wall Track 16mm ACC/C/025 Specifications : 16mm x 16mm Quantity : 120 pcs/pack Category : Trims Application : Ceiling</p>
	<p>PRIMA L-Bracket 75mm x 50mm x 1.9mm BMT ACC/U/018 Specifications : 75 mm x 50 mm x 1.9 mm Quantity : 50 pcs/box Category : Angle cleat Application : Universal. To hold steel frame on structure</p>		<p>PRIMA Suspension Rod 4mm ACC/C/026 Specifications : 4mm diameter Quantity : 100 pcs/pack Category : Suspension Application : Ceiling</p>
	<p>PRIMA L-Bracket 100mm x 50mm x 1.9mm BMT ACC/U/019 Specifications : 100 mm x 50 mm x 1.9 mm Quantity : 30 pcs/box Category : Angle cleat Application : Universal. To hold steel frame on structure</p>		<p>PRIMA Spring Adjustable Ceiling Clip ACC/C/027 Specifications : 132mm (L) x 22mm (W) Quantity : 180 pcs/box Category : Suspension clip / bracket Application : Ceiling</p>
	<p>PRIMA Tophat 25mm x 50mm x 0.75mm BMT ACC/U/020 Specifications : 25mm x 50mm x 0.75mm BMT Quantity : 120 pcs/pack Category : Secondary section Application : Universal / Floor joist, cladding</p>		<p>PRIMA Threaded Adjustable Ceiling Clip ACC/C/028 Specifications : 96mm (L) x 22mm (W) Quantity : 340 pcs/pack Category : Suspension clip/bracket Application : Ceiling</p>
	<p>PRIMA Tophat 35mm x 50mm x 0.75mm BMT ACC/U/021 Specifications : 35mm x 50mm x 0.75mm BMT Quantity : 120 pcs/pack Category : Secondary section Application : Universal / Floor joist, cladding</p>		<p>PRIMA M6 Eye Anchor ACC/C/029 Specifications : M6 x 60mm Quantity : 400 pcs/box Category : Anchor/ Fasteners Application : Ceiling</p>
	<p>PRIMA Tophat 50mm x 50mm x 0.75mm BMT ACC/U/022 Specifications : 50mm x 50mm x 0.75mm BMT Quantity : 120 pcs/pack Category : Secondary section Application : Universal / Floor joist, cladding</p>		<p>PRIMA Batten Cross Joiner ACC/C/030 Specifications : 100mm (L) x 35mm (W) Quantity : 480 pcs/box Category : Joiners Application : Ceiling</p>
	<p>PRIMA Direct Fixing Clip ACC/W/023 Specifications : Direct fixing clip 36mm x 66mm Quantity : 50 pcs/box Category : Joiners Application : Wall, cladding</p>		<p>PRIMA Direct Fixing Clips 192mm ACC/C/031 Specifications : 192mm (L) x 80mm (W) Quantity : 200 pcs/box Category : Suspension clip / bracket Application : Ceiling</p>
	<p>PRIMA Ceiling Batten 36mm x 16mm ACC/C/024 Specifications : 3600mm x 36mm x 16mm x 0.42mm BMT Quantity : 500 pcs/bundle Category : Secondary section Application : Ceiling</p>		<p>PRIMA Direct Fixing Clips 92mm ACC/C/032 Specifications : 92mm (L) x 80mm (W) Quantity : 200 pcs/box Category : Suspension clip / bracket Application : Ceiling</p>












Remark :
 Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA™ accessories - List of Components

	<p>PRIMA Flipped Direct Fixing Clips 75mm ACC/U/033 Specifications : 68mm (L) x 65mm (W) Quantity : 100 pcs/box Category : Suspension clips/Brackets Application : Universal / To secure steel elements at the right angle</p>		<p>PRIMA Angle 25mm x 25mm x 0.75mm BMT ACC/U/041 Specifications : 25mm x 25mm x 3000mm Quantity : 500 pcs/pack Category : Angles Application : Ceiling/Wall/Cladding</p>
	<p>PRIMA Furring Channel 50mm x 28mm ACC/U/034 Specifications : 50 mm x 28 mm x 3600mm Quantity : 200 pcs/pack Category : Secondary section Application : Ceiling</p>		<p>PRIMA Angle 35mm x 35mm x 0.75mm BMT ACC/U/042 Specifications : 35mm x 35mm x 3000mm Quantity : 400 pcs/pack Category : Angles Application : Ceiling/Wall/Cladding</p>
	<p>PRIMA Hat Batten 38mm x 28mm x 0.50mm BMT ACC/U/035 Specifications : 38 mm x 28 mm x 3600mm Quantity : 200 pcs/pack Category : Secondary section Application : Ceiling</p>		<p>PRIMA Angle 50mm x 50mm x 0.75mm BMT ACC/U/043 Specifications : 50mm x 50mm x 3000mm Quantity : 240 pcs/pack Category : Angles Application : Ceiling/Wall/Cladding</p>
	<p>PRIMA Hat Batten 50mm x 28mm x 0.50mm BMT ACC/U/036 Specifications : 50mm x 28mm x 3600mm Quantity : 200 pcs/pack Category : Secondary section Application : Ceiling</p>		<p>PRIMA Fastener Wing-Tek Screw Class 1 (22mm/28mm/32mm/44mm) ACC/U/044 Specifications : 22mm/28mm/32mm/44mm Quantity : 1000 pcs/box Category : Fasteners Application : Wall/Cladding</p>
	<p>PRIMA Furring Channel Wall Track 28mm ACC/C/037 Specifications : 30mm x 28mm Quantity : 120 pcs/pack Category : Trims Application : Ceiling</p>		<p>PRIMA Decking CFS (Top Cover) ACC/D/045 Specifications : Aluminium Powder Coated (Black) Decking Strip Top-Cover 15mm (Gap), 3000mm (L) Quantity : 20 pcs/box Category : Strip Top Cover Application : Decking</p>
	<p>PRIMA C-Channel Cross Joiner - S51 to FC3828 ACC/C/038 Specifications : 38mm x 76mm x 99mm Quantity : 180 pcs/box Category : Joiners Application : Ceiling</p>		<p>PRIMA Decking CFS (Base Unit) ACC/D/046 Specifications : Aluminium Powder Coated (Black) Decking Strip Base-Unit 3000mm (L) Quantity : 20 pcs/box Category : Strip Base Unit Application : Decking</p>
	<p>PRIMA 51mm Stud to Furring Cross Joiner - S51 to FCS028 ACC/C/039 Specifications : 38mm x 76mm x 99mm Quantity : 120 pcs/box Category : Joiners Application : Ceiling</p>		<p>PRIMA Deck Concealed 3mm Fixing Clip ACC/D/047 Specifications : Conceal 3mm (Gap) Decking Fix Clip, 3000mm (L) Quantity : 200 pcs/box Category : Fasteners Application : Decking</p>
	<p>PRIMA Furring Channel Joiner 50mm ACC/C/040 Specifications : 61mm x 98mm Quantity : 350 pcs/box Category : Joiners Application : Ceiling</p>		<p>PRIMA Deck Concealed 10mm Fixing Clip ACC/D/048 Specifications : Conceal 10mm (Gap) Decking Fix Clip, 3000mm (L) Quantity : 200 pcs/box Category : Fasteners Application : Decking</p>












Remark :
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA™ accessories - List of Components

	<p>PRIMA Mesh Tape ACC/U/049 Specifications : 50 meter / roll Quantity : one piece Category : Mesh tape Application : Flush Jointing for wall and ceiling</p>		<p>PRIMA C-Studs 76mm x 0.55mm BMT ACC/U/057 Specifications : 76mm C-Studs x 0.55mm BMT 76mm x 35mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA Fastener Needle Point no#6 x 19mm ACC/U/050 Specifications : 19mm (L) Quantity : 1000 pcs/box Category : Fasteners Application : Ceiling</p>		<p>PRIMA C-Studs 92mm x 0.55mm BMT ACC/U/058 Specifications : 92mm C-Studs x 0.55mm BMT 92mm x 35mm x 3000mm Quantity : 80 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA Fastener Wing-Tek Screw Class 3 ACC/U/051 Specifications : 22mm/28mm/32mm/44mm Quantity : 1000 pcs/box Category : Fasteners Application : Wall/Cladding</p>		<p>PRIMA C-Studs 100mm x 0.55mm BMT ACC/U/059 Specifications : 100mm C-Studs x 0.55mm BMT 100mm x 35mm x 3000mm Quantity : 80 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA Jointing Compound PLUS+ ACC/U/052 Specifications : Jointing Compound Plus+ Quantity : one bucket , 28KG/bucket Category : Sealers Application : Wall/Ceiling</p>		<p>PRIMA C-Studs 125mm x 0.55mm BMT ACC/U/060 Specifications : 125mm C-Studs x 0.55mm BMT 125mm x 35mm x 3000mm Quantity : 80 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA C-Studs 51mm x 0.50mm BMT ACC/U/053 Specifications : 51mm C-Studs x 0.50mm BMT 51mm x 35mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>		<p>PRIMA C-Studs 64mm x 0.75mm BMT ACC/U/061 Specifications : 64mm C-Studs x 0.75mm BMT 64mm x 35mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA C-Studs 64mm x 0.50mm BMT ACC/U/054 Specifications : 64mm C-Studs x 0.50mm BMT 64mm x 35mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>		<p>PRIMA C-Studs 76mm x 0.75mm BMT ACC/U/062 Specifications : 76mm C-Studs x 0.75mm BMT 76mm x 35mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA C-Studs 51mm x 0.55mm BMT ACC/U/055 Specifications : 51mm C-Studs x 0.55mm BMT 51mm x 35mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>		<p>PRIMA C-Studs 92mm x 0.75mm BMT ACC/U/063 Specifications : 92mm C-Studs x 0.75mm BMT 92mm x 35mm x 3000mm Quantity : 80 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
	<p>PRIMA C-Studs 64mm x 0.55mm BMT ACC/U/056 Specifications : 64mm C-Studs x 0.55mm BMT 64mm x 35mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>		<p>PRIMA C-Studs 100mm x 0.75mm BMT ACC/U/064 Specifications : 100mm C-Studs x 0.75mm BMT 100mm x 35mm x 3000mm Quantity : 80 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>












Remark :
Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA™ accessories - List of Components

 <p>PRIMA C-Studs 125mm x 0.75mm BMT ACC/U/065 Specifications : 125mm C-Studs x 0.75mm BMT 125mm x 35mm x 3000mm Quantity : TBA Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 100mm x 0.55mm BMT ACC/U/073 Specifications : 100mm U-Track x 0.55mm BMT 100mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
 <p>PRIMA C-Studs 150mm x 0.75mm BMT ACC/U/066 Specifications : 150mm C-Studs x 0.75mm BMT 150mm x 35mm x 3000mm Quantity : TBA Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 125mm x 0.55mm BMT ACC/U/074 Specifications : 125mm U-Track x 0.55mm BMT 125mm x 32mm x 3000mm Quantity : TBA Category : Primary Section Application : Walls / Floors / Ceilings</p>
 <p>PRIMA U-Track 51mm x 0.50mm BMT ACC/U/067 Specifications : 51mm U-Track x 0.50mm BMT 51mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 64mm x 0.75mm BMT ACC/U/075 Specifications : 64mm U-Track x 0.75mm BMT 64mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
 <p>PRIMA U-Track 64mm x 0.50mm BMT ACC/U/068 Specifications : 64mm U-Track x 0.50mm BMT 64mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 76mm x 0.75mm BMT ACC/U/076 Specifications : 76mm U-Track x 0.75mm BMT 76mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
 <p>PRIMA U-Track 51mm x 0.55mm BMT ACC/U/069 Specifications : 51mm U-Track x 0.55mm BMT 51mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 92mm x 0.75mm BMT ACC/U/077 Specifications : 92mm U-Track x 0.75mm BMT 92mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
 <p>PRIMA U-Track 64mm x 0.55mm BMT ACC/U/070 Specifications : 64mm U-Track x 0.55mm BMT 64mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 100mm x 0.75mm BMT ACC/U/078 Specifications : 100mm U-Track x 0.75mm BMT 100mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>
 <p>PRIMA U-Track 76mm x 0.55mm BMT ACC/U/071 Specifications : 76mm U-Track x 0.55mm BMT 76mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 125mm x 0.75mm BMT ACC/U/079 Specifications : 125mm U-Track x 0.75mm BMT 125mm x 32mm x 3000mm Quantity : TBA Category : Primary Section Application : Walls / Floors / Ceilings</p>
 <p>PRIMA U-Track 92mm x 0.55mm BMT ACC/U/072 Specifications : 92mm U-Track x 0.55mm BMT 92mm x 32mm x 3000mm Quantity : 100 pcs/bundle Category : Primary Section Application : Walls / Floors / Ceilings</p>	 <p>PRIMA U-Track 150mm x 0.75mm BMT ACC/U/080 Specifications : 150mm U-Track x 0.75mm BMT 150mm x 32mm x 3000mm Quantity : TBA Category : Primary Section Application : Walls / Floors / Ceilings</p>

Remark :
 Please refer to the latest PRIMA Technical Manual prior to the installation.

PRIMA™ accessories - List of Components

	<p>PRIMA Deflection Head Track 51mm x 0.75mm BMT ACC/U/081</p> <p>Specifications : 51mm Deflection Head Track x 0.75mm BMT 51mm x 50mm x 3000mm</p> <p>Quantity : 10 pcs/pack</p> <p>Category : Primary Section</p> <p>Application : Walls / Floors / Ceilings</p>		<p>PRIMA Stopping Angle 10mm x 30mm x 0.35mm BMT ACC/C/089</p> <p>Specifications : 10mm x 30mm x 0.35mm BMT 3000mm (L)</p> <p>Quantity : 500 pcs/pack</p> <p>Category : Trim</p> <p>Application : Ceiling</p>
	<p>PRIMA Deflection Head Track 64mm x 0.75mm BMT ACC/U/082</p> <p>Specifications : 64mm Deflection Head Track x 0.75mm BMT 64mm x 50mm x 3000mm</p> <p>Quantity : 10 pcs/pack</p> <p>Category : Primary Section</p> <p>Application : Walls / Floors / Ceilings</p>		<p>PRIMA Stopping Angle 13mm x 30mm x 0.35mm BMT ACC/C/090</p> <p>Specifications : 13mm x 30mm x 0.35mm BMT 3000mm (L)</p> <p>Quantity : 500 pcs/pack</p> <p>Category : Trim</p> <p>Application : Ceiling</p>
	<p>PRIMA Deflection Head Track 76mm x 0.75mm BMT ACC/U/083</p> <p>Specifications : 76mm Deflection Head Track x 0.75mm BMT 76mm x 50mm x 3000mm</p> <p>Quantity : 10 pcs/pack</p> <p>Category : Primary Section</p> <p>Application : Walls / Floors / Ceilings</p>		<p>PRIMA Stopping Angle 16mm x 30mm x 0.35mm BMT ACC/C/091</p> <p>Specifications : 16mm x 30mm x 0.35mm BMT 3000mm (L)</p> <p>Quantity : 500 pcs/pack</p> <p>Category : Trim</p> <p>Application : Ceiling</p>
	<p>PRIMA Deflection Head Track 92mm x 0.75mm BMT ACC/U/084</p> <p>Specifications : 92mm Deflection Head Track x 0.75mm BMT 92mm x 50mm x 3000mm</p> <p>Quantity : 10 pcs/pack</p> <p>Category : Primary Section</p> <p>Application : Walls / Floors / Ceilings</p>		<p>PRIMA Shadowline 10mm x 10mm x 30mm x 0.35mm BMT ACC/C/092</p> <p>Specifications : 10mm x 10mm x 30mm x 0.35mm BMT, 3000mm (L)</p> <p>Quantity : 500 pcs/pack</p> <p>Category : Trim</p> <p>Application : Ceiling</p>
	<p>PRIMA Deflection Head Track 100mm x 0.75mm BMT ACC/U/085</p> <p>Specifications : 100mm Deflection Head Track x 0.75mm BMT 100mm x 50mm x 3000mm</p> <p>Quantity : 10 pcs/pack</p> <p>Category : Primary Section</p> <p>Application : Walls / Floors / Ceilings</p>		<p>PRIMA Shadowline 20mm x 10mm x 30mm x 0.35mm BMT ACC/C/093</p> <p>Specifications : 20mm x 10mm x 30mm x 0.35mm BMT, 3000mm (L)</p> <p>Quantity : 500 pcs/pack</p> <p>Category : Trim</p> <p>Application : Ceiling</p>
	<p>PRIMA Deflection Head Track 125mm x 0.75mm BMT ACC/U/086</p> <p>Specifications : 125mm Deflection Head Track x 0.75mm BMT 125mm x 50mm x 3000mm</p> <p>Quantity : TBA</p> <p>Category : Primary Section</p> <p>Application : Walls / Floors / Ceilings</p>		<p>PRIMA Control Joint ACC/C/094</p> <p>Specifications : 0.35mm BMT flexible control joint 3000mm (L)</p> <p>Quantity : 100 pcs/pack</p> <p>Category : Trim</p> <p>Application : Ceiling/Wall</p>
	<p>PRIMA Deflection Head Track 150mm x 0.75mm BMT ACC/U/087</p> <p>Specifications : 150mm Deflection Head Track x 0.75mm BMT 150mm x 50mm x 3000mm</p> <p>Quantity : TBA</p> <p>Category : Primary Section</p> <p>Application : Walls / Floors / Ceilings</p>		<p>PRIMA Ceiling Batten Cross Joiner ACC/C/095</p> <p>Specifications : 40mm x 50mm</p> <p>Quantity : 500 pcs/box</p> <p>Category : Joiners</p> <p>Application : Ceiling</p>
	<p>PRIMA Corner Bead 30mm x 30mm x 0.35mm BMT ACC/U/088</p> <p>Specifications : 30mm x 30mm x 0.35mm BMT 3000mm (L)</p> <p>Quantity : 480 pcs/pack</p> <p>Category : Trim</p> <p>Application : Wall/Cladding</p>		<p>PRIMA M8 X 75mm Stud Anchor ACC/U/097</p> <p>Specifications : M8 X 75mm Stud Anchor</p> <p>Quantity : 100 pcs/box</p> <p>Category : Anchor / Fastener</p> <p>Application : Universal for floors / walls</p>

Remark :
Please refer to the latest PRIMA Technical Manual prior to the installation.



PRIMA Furring Channel



PRIMA C-Studs to support water tank



PRIMA L-Bracket with **PRIMA** Hex-Head screws




PRIMA Fastener Wing-Tek Screw



PRIMA Tophat framing for decking system



PRIMA Flipped Direct Fixing Clips



For more information, please contact us at:



SAINT-GOBAIN PRIMA SDN BHD (579898-W)

Level 19, Tower 5, Avenue 7 The Horizon,
Bangsar South City, No. 8, Jalan Kerinchi,
59200 Kuala Lumpur, Malaysia

General Line 1: +603 7781 1977 | General Line 2: +6012 781 1797

www.primafibrecement.com | www.saint-gobain.my

[f](#) [in](#) [t](#) [@](#) [d](#) saintgobainprima